

How to reduce the risks?











# TRY CONSUMPTION METHODS THAT DO NOT INVOLVE BURNI

→ Vaporizers far fewer toxic -products are inhaled. Portable and table-top designs.

# → Vaping/e-cigarettes with THC

far fewer toxic products are inhaled, but avoid at all costs buying equipment or e-liquids from the black market!



→ Ingested (edible) products
No toxic products generated by
burning or heating. This consumption
method does not require inhalation.
Beware of the risk of overdosing.

Though cannabis is the most consumed illicit substance in Switzerland, only a small minority of the population uses it (less than one person


in ten). If you aare member of this group, there are several things you can do to reduce the associated health risks.







Project evaluation






## DO NOT DRIVE AND **AVOID ACTIVITIES** WHICH REQUIRE YOUR

**FULL FACULTIES** → Inhalation

Annalation may impair essential driving faculties for several hours. The periods most often mentioned in the research are 2 to 4 hours, but even up to 4 or 6 hours. There is always a risk that this will last longer.

### > Ingestion

may cause impairment of faculties between 8 and 12 hours. There is always a risk that this will last longer.



### **PROTECTING CHILDREN**








## AVOID USE AND CONSULT YOUR DOCTOR

IF YOU HAVE MENTAL HEALTH ISSUES.





# ASK YOURSELF ABOUT YOUR CONSUMPTION



DRUG CHECKING

### WHEN IN NEED

**PILOT TRIALS** 

COMBI-CHECKER.CH